

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.1
Creation Date: July 15, 2019
Revision Date: May 20, 2024

SECTION 1: Identification

1.1 GHS Product identifier

Product name I29VQH0G0B OV0Q322E0U 25322-69-4 L63N6V755Z V86KZL3H2Z 9UO53X55W2 H5B6JCZ906 757HA1493R HW7M6WY97M GK69D49CJ0 01SEY4236K SJG6V595V6 439253FIWJ GS1E37J3P8 Polyoxypropylene (12) Polyoxypropylene (15) Polyoxypropylene (17) Polyoxypropylene (20) Polyoxypropylene (26) Polyoxypropylene (30) Polyoxypropylene (34) Polyoxypropylene (9) Polypropylene glycol Polypropylene glycol (12) Polypropylene glycol (15) Polypropylene glycol (17) Polypropylene glycol (20) Polypropylene glycol (26) Polypropylene glycol (30) Polypropylene glycol (34) Polypropylene glycol (9) PPG-12 PPG-15 PPG-17 PPG-20 PPG-26 PPG-30 PPG-34 PPG-9 Laprol 702 Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy- Polypropylene glycol #1000 Polypropylene glycol 1025 Polypropylene glycol #1200 Polypropylene glycol 150 Polypropylene glycol #1800 Polypropylene glycol 2000 Polypropylene glycol 2025 Polypropylene glycol 3025 Polypropylene glycol #400 Polypropylene glycol 4000 Polypropylene glycol 4025 Polypropylene glycol #425 Polypropylene glycol #750 Propane-1,2-diol, propoxylated P.P.G. 1000 P.P.G. 1025 P.P.G. 1200 P.P.G. 150 P.P.G. 1800 P.P.G. 2025 P.P.G. 3025 P.P.G. 400 P.P.G. 4025 P.P.G. 425 P.P.G. 750 P 400 P 4000 (polymer) Actocol 51-530 Alkapal PPG-1200 Alkapal PPG-2000 Alkapal PPG-4000 Bloat guard Caswell No. 680 Desmophen 360C EmkapyI EPA Pesticide Chemical Code 068602 Glycols, polypropylene HSDB 1266 alpha-Hydro-omega-hydroxypoly(oxy(methyl-1,2-ethanediyl)) alpha-Hydro-omega-hydroxypoly(oxypropylene) Jeffox PPG 400 Laprol 2002 Lineartop E Methyloxirane homopolymer Napter E 8075 Niax 1025 Niax 11-27 Niax 61-582 Niax polyol ppg 4025 Niax ppg Niax ppg 1025 Niax ppg 3025 Niax ppg 425 Oopg 1000 Oxirane, methyl-, homopolymer Pluracol P 2010 Pluracol P 410 Pluracol 1010 Pluracol 2010 Polyglycol P-2000 Polyglycol P 400 Polyglycol P-4000 Polyglycol type P1200 Polyglycol type P2000 Polyglycol type P250 Polyglycol type P3000 Polyglycol type P400 Polyglycol type P750 Polymer 2 Polyoxypropylene Polyoxypropylene glycol Poly(propylene oxide) Polypropylenglykol [Czech] PPG Propylan 8123 Propylene oxide homopolymer Propylene oxide, propylene glycol polymer SKF 18667 Voranol P 1010 Voranol P 2000 Voranol P 4000 Polypropylenglykol UNII-I29VQH0G0B UNII-GK69D49CJ0 UNII-OV0Q322E0U UNII-439253FIWJ UNII-GS1E37J3P8 UNII-01SEY4236K UNII-SJG6V595V6 UNII-L63N6V755Z UNII-V86KZL3H2Z UNII-9UO53X55W2 UNII-H5B6JCZ906 UNII-757HA1493R UNII-HW7M6WY97M EC 500-039-8

1.2 Other means of identification

Product number C1914749
Other names -

1.3 Recommended use of the chemical and restrictions on use

Identified uses For laboratory and Industrial use only.
Uses advised against no data available

1.4 Supplier's details

Company CATO Research Chemicals Inc.
Address 3/F,Building B,No.179 BASIGO, Guangpu Rd East,Huangpu Dist,Guangzhou
Telephone +86-20-81960175

1.5 Emergency phone number

Emergency phone number +86-20-81960175
Service hours 'Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Acute toxicity - Category 4, Oral
Acute toxicity - Category 4, Inhalation

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H302 Harmful if swallowed
H332 Harmful if inhaled

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

Response

P301+P317 IF SWALLOWED: Get medical help.
P330 Rinse mouth.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P317 Get medical help.
none
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Storage

Disposal

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
I29VQH0G0B OV0Q322E0U 25322-69-4 L63N6V755Z V86KZL3H2Z 9UO53X55W2 H5B6JCZ906 757HA1493R HW7M6WY97M GK69D49CJ0 01SEY4236K SJG6V595V6 439253FIWJ GS1E37J3P8 Polyoxypropylene (12) Polyoxypropylene (15) Polyoxypropylene (17) Polyoxypropylene (20) Polyoxypropylene (26) Polyoxypropylene (30) Polyoxypropylene (34) Polyoxypropylene (9) Polypropylene glycol Polypropylene glycol (12) Polypropylene glycol (15) Polypropylene glycol (17) Polypropylene glycol (20) Polypropylene glycol (26) Polypropylene glycol (30) Polypropylene glycol (34) Polypropylene glycol (9) PPG-12 PPG-15 PPG-17 PPG-20 PPG-26 PPG-30 PPG-34 PPG-9 Laprol 702 Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy- Polypropylene glycol #1000 Polypropylene glycol 1025 Polypropylene glycol #1200 Polypropylene glycol 150 Polypropylene glycol #1800 Polypropylene glycol 2000 Polypropylene glycol 2025 Polypropylene glycol 3025 Polypropylene glycol #400 Polypropylene glycol 4000 Polypropylene glycol 4025 Polypropylene glycol #425 Polypropylene glycol #750 Propane-1,2-diol, propoxylated P.P.G. 1000 P.P.G. 1025 P.P.G. 1200 P.P.G. 150 P.P.G. 1800 P.P.G. 2025 P.P.G. 3025 P.P.G. 400 P.P.G. 4025 P.P.G. 425 P.P.G. 750 P 400 P 4000 (polymer) Actocol 51-530 Alkapal PPG-1200 Alkapal PPG-2000 Alkapal PPG-4000 Bloat guard Caswell No. 680 Desmophen 360C Emkapyl EPA Pesticide Chemical Code 068602 Glycols, polypropylene HSDB 1266 alpha-Hydro-omega-hydroxypoly(oxy(methyl-1,2-ethanediyl)) alpha-Hydro-omega-hydroxypoly(oxypropylene) Jeffox PPG 400 Laprol 2002 Lineartop E Methyloxirane homopolymer Napter E 8075 Niax 1025 Niax 11-27 Niax 61-582 Niax polyol ppg 4025 Niax ppg Niax ppg 1025 Niax ppg 3025 Niax ppg 425 Oopg 1000 Oxirane, methyl-, homopolymer Pluracol P 2010 Pluracol P 410 Pluracol 1010 Pluracol 2010 Polyglycol P-2000 Polyglycol P 400 Polyglycol P-4000 Polyglycol type P1200 Polyglycol type P2000 Polyglycol type P250 Polyglycol type P3000 Polyglycol type P400 Polyglycol type P750 Polymer 2 Polyoxypropylene Polyoxypropylene glycol Poly(propylene oxide) Polypropylenglykol [Czech] PPG Propylan 8123 Propylene oxide homopolymer Propylene oxide, propylene glycol polymer SKF 18667 Voranol P 1010 Voranol P 2000 Voranol P 4000 Polypropylenglykol UNII-I29VQH0G0B UNII-GK69D49CJ0 UNII-OV0Q322E0U UNII-439253FIWJ UNII-GS1E37J3P8 UNII-01SEY4236K UNII-SJG6V595V6 UNII-L63N6V755Z UNII-V86KZL3H2Z UNII-9UO53X55W2 UNII-H5B6JCZ906 UNII-757HA1493R UNII-HW7M6WY97M EC 500-039-8	Propane-1,2-diol, propoxylated	25322-69-4	500-039-8	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

The compound has a very low toxicity; few, if any, symptoms will be observed. Contact of liquid with eyes causes slight transient pain and irritation similar to that caused by a mild soap. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Ethylene glycol, glycols, and related compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Fire Extinguishing Agents: Water, dry chemical, foam, carbon dioxide (USCG, 1999)

5.2 Specific hazards arising from the chemical

no data available

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

SRP: Wastewater from contaminant suppression, cleaning of protective clothing/equipment, or contaminated sites should be contained and evaluated for subject chemical or decomposition product concentrations. Concentrations shall be lower than applicable environmental discharge or disposal criteria. Alternatively, pretreatment and/or discharge to a permitted wastewater treatment facility is acceptable only after review by the governing authority and assurance that "pass through" violations will not occur. Due consideration shall be given to remediation worker exposure (inhalation, dermal and ingestion) as well as fate during treatment, transfer and disposal. If it is not practicable to manage the chemical in this fashion, it must be evaluated in accordance with EPA 40 CFR Part 261, specifically Subpart B, in order to determine the appropriate local, state and federal requirements for disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flammable resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid. Viscous.
Colour	Amber.
Odour	no data available
Melting point/freezing point	< -20.15°C. Atm. press.:Ca. 101.3 kPa.
Boiling point or initial boiling point and boiling range	253.85°C. Atm. press.:100.09 kPa. Remarks:Boiled, with possible decomposition, from approximately 253.85°C.
Flammability	no data available
Lower and upper explosion limit/flammability limit	Lower flammable limit: 2.6% by volume; Upper flammable limit: 12.5% by volume
Flash point	137 °C. Atm. press.:101.28 kPa.
Auto-ignition temperature	280 °C. Atm. press.:>= 99.94 - <= 100.97 kPa.
Decomposition temperature	no data available
pH	Noncorrosive
Kinematic viscosity	kinematic viscosity (in mm ² /s) = 105. Temperature:20°C.;kinematic viscosity (in mm ² /s) = 30.8. Temperature:40°C.
Solubility	Lower molecular weight members are sol in water
Partition coefficient n-octanol/water	Pow = 2 - 13.4. Temperature:20 °C. Remarks:The lower limit of Kow is < 2.;log Pow = 0.3 - <= 1.13. Temperature:20 °C. Remarks:The lower limit of log Kow is < 0.3.
Vapour pressure	0.2 Pa. Temperature:25 °C.
Density and/or relative density	1.02. Temperature:20 °C.
Relative vapour density	>1 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No rapid reaction with air. No rapid reaction with water.

10.2 Chemical stability

Quite stable chemically

10.3 Possibility of hazardous reactions

Do not present hazards of flammability except at elevated temp ... Fire point (deg F OC): 405 /ppg 400/; 525 /ppg 750/; 505 /ppg 1200/; 510 /ppg 2000/; 505 /ppg 3000/; 510 /ppg 4000/ /From table/POLYPROPYLENE GLYCOL is an alcohol. Flammable and/or toxic gases are generated by the combination of alcohols with alkali metals, nitrides, and strong reducing agents. They react with oxoacids and carboxylic acids to form esters plus water. Oxidizing agents convert them to aldehydes or ketones. Alcohols exhibit both weak acid and weak base behavior. They may initiate the polymerization of isocyanates and epoxides.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male/female) - 22 000 mg/kg bw. Remarks: This value corresponds to 21.0 ml/kg bw, with standard errors of 19.2-23.9 ml/kg bw.
- Inhalation: LC50 - rat (male/female) - > 2.34 mg/L air.
- Dermal: LD50 - rabbit - > 2 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - *Oryzias latipes* - > 1 000 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - > 100 mg/L - 48 h.
- Toxicity to algae: EC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - > 100 mg/L - 72 h.
- Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage - > 1 000 mg/L - 3 h. Remarks: Respiration rate.

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Propane-1,2-diol, propoxylated	Propane-1,2-diol, propoxylated	25322-69-4	500-039-8
European Inventory of Existing Commercial Chemical Substances (EINECS)			Not Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date May 20, 2024

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>



CATO Research Chemicals Inc.

3/F, Building B, No. 179 BASIGO, Guangpu Rd East, Huangpu Dist, Guangzhou

Web: www.cato-chem.com

Tel: +86-20-81960175 Fax: +86-20-81717260 E-mail: info@cato-chem.com

-
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
 - Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
 - ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to info@cato-chem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.