

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.1
Creation Date: July 15, 2019
Revision Date: April 15, 2024

SECTION 1: Identification

1.1 GHS Product identifier

Product name Phthalic acid, bis-isohexyl ester (mixture of isomers)

1.2 Other means of identification

Product number CCHM700424

Other names DIHEXYL PHTHALATE;PHTHALIC ACID DI-N-HEXYL ESTER;Einecs 271-093-5

1.3 Recommended use of the chemical and restrictions on use

Identified uses For laboratory and Industrial use only.

Uses advised against no data available

1.4 Supplier's details

Company CATO Research Chemicals Inc.

Address 3/F,Building B,No.179 BASIGO, Guangpu Rd East,Huangpu Dist,Guangzhou

Telephone +86-20-81960175

1.5 Emergency phone number

Emergency phone number +86-20-81960175

Service hours 'Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Reproductive toxicity, Category 1B

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word Danger

Hazard statement(s) none

Precautionary statement(s)

Prevention

P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P318 IF exposed or concerned, get medical advice.
P405 Store locked up.
P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Response

Storage

Disposal

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Phthalic acid, bis-isohexyl ester (mixture of isomers)	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

SYMPTOMS: Symptoms of exposure to this compound may include eye irritation, skin irritation or drying progressing to dermatitis, nausea, vomiting and dizziness. (NTP, 1992)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

No accumulation of dihexyl phthalate (25 or 250 ppm in the diet) occurred in starlings fed DHP for 30 days.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

To fight fire use, foam, carbon dioxide, dry chemical.

5.2 Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	PHYSICAL DESCRIPTION: Yellow-brown oily viscous liquid with a slight aromatic odor. Insoluble in water. (NTP, 1992)
Colour	Clear, oily liquid
Odour	Slightly aromatic
Melting point/freezing point	-27°C
Boiling point or initial boiling point and boiling range	341.5°C at 760 mmHg
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	180°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	Insoluble (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 6.82
Vapour pressure	1.4X10 ⁻⁵ mm Hg at 25 deg C
Density and/or relative density	1.01 g/cm ³
Relative vapour density	11.5 (NTP, 1992) (Relative to Air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

CombustibleDI-N-HEXYL PHTHALATE is an ester. Esters react with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by the interaction of esters with caustic solutions. Flammable hydrogen is generated by mixing esters with alkali metals and hydrides. This compound can react with oxidizing materials and strong alkaline materials. (NTP, 1992)

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Can react with oxidizing materials.

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 29600 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: *Lepomis macrochirus* (Bluegill, juvenile, length 29-40 mm); Conditions: freshwater, static, 22 deg C, pH 7.6-7.9, hardness 25-50 mg/L CaCO₃, alkalinity 25-50 mg/L CaCO₃; Concentration: 110 ug/L for 96 hr /> or = 95% purity
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (Water flea, age < or = 24 hr); Conditions: freshwater, static, 20 deg C, pH 7.6-7.9, hardness 25-50 mg/L CaCO₃, alkalinity 25-50 mg/L CaCO₃; Concentration: 180 ug/L for 48 hr; Effect: intoxication, immobilization /> or = 95% purity
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In a shake flask carbon dioxide evolution screening test, loss of the parent compound (primary degradation) as well as carbon dioxide evolution (ultimate degradation) was measured using an acclimated inoculum of soil, sewage and activated sludge; >99% of dihexyl phthalate was lost and 77% of theoretical carbon dioxide was evolved after 28 days(1). Dihexyl phthalate had a half-life of 2.9 days with a 1.6 day lag(1). Dihexyl phthalate was degraded by activated sludge; although the units of the first order rate constant were omitted(2). In a semi-continuous activated sludge test (Soap and Detergent Association procedure), the mean percentage degradation for dihexyl phthalate was >92.8% in 24 hr(3). In the die-away phase of the testing, it took 1 day to achieve 90% degradation(3). An initial concentration of dihexyl phthalate of 25 mg/L was degraded 30 to 95% in fresh water after a 14 day incubation(4). Dihexyl phthalate at a starting concentration of 35 mg/L was biodegraded 80% after a 28 day incubation at 22 deg C(4). Dihexyl phthalate had an average aerobic biodegradation half-life of 9.7 days calculated in 6 river sediment samples taken from Taiwan rivers(5).

12.3 Bioaccumulative potential

An estimated BCF of 1,100 was calculated in fish for dihexyl phthalate(SRC), using a log Kow of 6.82(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is very high(SRC). However, bioconcentration studies on compounds which are structurally similar suggest that bioconcentration may be lower than that indicated by the regression-derived equations due to the ability of aquatic organisms to readily metabolize this class of compounds(4).

12.4 Mobility in soil

The average Koc of (14)C-dihexyl phthalate using three standard USEPA sediments (supplied and characterized by the EPA) was measured at 5.26X10⁵(1). According to a classification scheme(2), this Koc value suggests that dihexyl phthalate is expected to be immobile in soil.

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date April 15, 2024

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit



CATO Research Chemicals Inc.

3/F, Building B, No. 179 BASIGO, Guangpu Rd East, Huangpu Dist, Guangzhou

Web: www.cato-chem.com

Tel: +86-20-81960175 Fax: +86-20-81717260 E-mail: info@cato-chem.com

- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to info@cato-chem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.