

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.2
Creation Date: July 15, 2019
Revision Date: August 08, 2025

SECTION 1: Identification

1.1 GHS Product identifier

Product name Bendiocarb

1.2 Other means of identification

Product number CCPD100106

Other names Multamat; 2,2-dimethyl-1,3-benzodioxol-4-yl N-methylcarbamate; Ficam W

1.3 Recommended use of the chemical and restrictions on use

Identified uses For laboratory and Industrial use only.

Uses advised against no data available

1.4 Supplier's details

Company CATO Research Chemicals Inc.

Address 3/F,Building B,No.179 BASIGO, Guangpu Rd East,Huangpu Dist,Guangzhou

Telephone +86-20-81960175

1.5 Emergency phone number

Emergency phone number +86-20-81960175

Service hours 'Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Acute toxicity - Category 2, Oral

Acute toxicity - Category 3, Dermal

Acute toxicity - Category 3, Inhalation

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H300 Fatal if swallowed

H311 Toxic in contact with skin

H331 Toxic if inhaled

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

Response	P301+P316 IF SWALLOWED: Get emergency medical help immediately. P321 Specific treatment (see ... on this label). P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/... P316 Get emergency medical help immediately. P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P391 Collect spillage.
Storage	P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Bendiocarb	Bendiocarb	22781-23-3	245-216-8	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

Excerpt from ERG Guide 151 [Substances - Toxic (Non-combustible)]: Highly toxic, may be fatal if inhaled, swallowed or absorbed through skin. Avoid any skin contact. Effects of contact or inhalation may be delayed. Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may be corrosive and/or toxic and cause pollution. (ERG, 2016)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Airway protection. Ensure that a clear airway exists. Intubate the patient and aspirate the secretions with a large-bore suction device if necessary. Administer oxygen by mechanically assisted pulmonary ventilation if respiration is depressed. Improve tissue oxygenation as much as possible before administering atropine, to minimize the risk of ventricular fibrillation. In severe poisonings, it may be necessary to support pulmonary ventilation mechanically for several days. N-methyl carbamate insecticides

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Waterspray is preferable, but dry chemical, CO2, foam can be used.

5.2 Specific hazards arising from the chemical

Excerpt from ERG Guide 151 [Substances - Toxic (Non-combustible)]: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Containers may explode when heated. Runoff may pollute waterways. (ERG, 2016)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Spillage of bendiocarb and its formulations should be removed by washing with 5% sodium hydroxide solution and then rinsing with large quantities of water.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Do not store near food or feed. Remove or cover all food before application; protect food preparing equipment, surfaces, and eating utensils from contamination during application.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flammable resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Bendiocarb is a white solid. Melting point 265°F (129-130°C). Insoluble in water. Used as a contact insecticide.
Colour	White powder
Odour	Odorless
Melting point/freezing point	128-130°C
Boiling point or initial boiling point and boiling range	298.8°C at 760 mmHg
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	>100°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	Very weak acid
Kinematic viscosity	no data available
Solubility	In water, 260 mg/L at 25 deg C
Partition coefficient n-octanol/water	log Kow = 1.70
Vapour pressure	0.00124mmHg at 25°C
Density and/or relative density	1.203g/cm3
Relative vapour density	no data available

Particle characteristics

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Formulated material (80%) is stable at temperatures below 40 deg C. In aqueous solution at 25 deg C the half-life is 48 days at pH 5; 81 hours at pH 7; and 45 minutes at pH 9. Under pH 5 bendiocarb slowly degrades to pyrogallol and acetone. On non-absorptive surfaces and at low humidity it resists oxidation. It undergoes photo-oxidation in direct sunlight.

10.3 Possibility of hazardous reactions

BENDIOCARB is a carbamate ester. Carbamates are chemically similar to, but more reactive than amides. Like amides they form polymers such as polyurethane resins. Carbamates are incompatible with strong acids and bases, and especially incompatible with strong reducing agents such as hydrides. Flammable gaseous hydrogen is produced by the combination of active metals or nitrides with carbamates. Strongly oxidizing acids, peroxides, and hydroperoxides are incompatible with carbamates.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 40 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Group E Evidence of Non-carcinogenicity for Humans

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: *Lepomis macrochirus* (Bluegill); Conditions: freshwater, flow through; Concentration: 1650 ug/L for 96 hr (95% confidence interval: 1470-1850 ug/L) /96% purity
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (Water flea, first instar larvae); Conditions: freshwater, static; Concentration: 29.2 ug/L for 48 hr (95% confidence interval: 23.5-35.7 ug/L); Effect: intoxication, immobilization /96% purity
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: Both carbofuran and trimethacarb cross condition soil for the enhanced biodegradation of bendiocarb. 96% of added bendiocarb (initial concentration 10 ug a.i./g soil) was degraded after 14 days in a Drummer-Catlin soil mixture (pH 5, moisture holding capacity of 22.9 meq/100g) pretreated twice with carbofuran (10 mg a.i./g soil); within 42 days the bendiocarb loss under these conditions was 98%. Similar results for the biodegradation of bendiocarb were obtained for trimethacarb pretreated soils under the same conditions. Soil which was not pretreated showed only a 2% loss of bendiocarb within 14 days, 18% loss within 28 days, and 48% loss within 42 days(1). Seven soils with differing pesticide histories were treated separately with radioactive bendiocarb (14C, 5 mg bendiocarb/mL) and incubated for four weeks at 25 deg C. Three soils without a previous history of carbamate pesticide use over the previous 10 years gave 34.6%, 30.4%, and 47.2% bendiocarb remaining. Two soils with carbofuran applied over the last two years had 0.9% and 1.6% bendiocarb remaining. One soil which had received carbofuran in the previous year and mixed carbamate and organophosphorus insecticides every other year for 10 years with alternate years untreated had 1.3% bendiocarb remaining. And one soil which had received cloethocarb for the previous four years had 0.9% bendiocarb remaining(2). These results suggest that bendiocarb is rapidly degraded in soil which had been previously exposed to carbamate pesticides(SRC). A mean soil half-life of 12 days (3 day minimum and 21 day maximum) has been reported(3).

12.3 Bioaccumulative potential

An estimated BCF of 6 was calculated in fish for bendiocarb(SRC), using a log Kow of 1.70(1) and a regression-derived equation(2). According to a classification scheme(2), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Koc values of 28 to 40 were reported for bendiocarb and its hydrolysis product 2,2-dimethyl-1,3-benzodioxol-4-ol(1); Koc values of 200(2) and 575(3) have also been reported in soil. According to a classification scheme(4), this range of Koc values suggest that bendiocarb is expected to have moderate to very high mobility in soil. While laboratory studies show a high degree of mobility, field studies indicate that parent bendiocarb generally degrades before leaching through the soil(5).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: no data available

IMDG: no data available

IATA: no data available

14.2 UN Proper Shipping Name

ADR/RID: no data available

IMDG: no data available

IATA: no data available

14.3 Transport hazard class(es)

ADR/RID: 6.1 (For reference only, please check.)

IMDG: 6.1 (For reference only, please check.)

IATA: 6.1 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.) IMDG: II (For reference only, please check.) IATA: II (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Bendiocarb	Bendiocarb	22781-23-3	245-216-8

European Inventory of Existing Commercial Chemical Substances (EINECS)	Listed.
EC Inventory	Listed.
United States Toxic Substances Control Act (TSCA) Inventory	Not Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Not Listed.
Korea Existing Chemicals List (KECL)	Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019
Revision Date August 08, 2025

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to info@cato-chem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.