

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.1
Creation Date: July 15, 2019
Revision Date: April 16, 2024

SECTION 1: Identification

1.1 GHS Product identifier

Product name 2-(Butoxymethyl)oxirane

1.2 Other means of identification

Product number CIM-201651

Other names -

1.3 Recommended use of the chemical and restrictions on use

Identified uses For laboratory and Industrial use only.

Uses advised against no data available

1.4 Supplier's details

Company CATO Research Chemicals Inc.

Address 3/F,Building B,No.179 BASIGO, Guangpu Rd East,Huangpu Dist,Guangzhou

Telephone +86-20-81960175

1.5 Emergency phone number

Emergency phone number +86-20-81960175

Service hours 'Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3

Acute toxicity - Category 4, Oral

Skin sensitization, Category 1

Acute toxicity - Category 4, Inhalation

Specific target organ toxicity – single exposure, Category 3

Germ cell mutagenicity, Category 2

Carcinogenicity, Category 2

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Warning

Hazard statement(s)

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H317 May cause an allergic skin reaction

H332 Harmful if inhaled

H335 May cause respiratory irritation

H341 Suspected of causing genetic defects

H351 Suspected of causing cancer

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

Prevention	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P271 Use only outdoors or in a well-ventilated area. P203 Obtain, read and follow all safety instructions before use. P273 Avoid release to the environment.
Response	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P370+P378 In case of fire: Use ... to extinguish. P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/... P333+P317 If skin irritation or rash occurs: Get medical help. P321 Specific treatment (see ... on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P317 Get medical help. P319 Get medical help if you feel unwell. P318 IF exposed or concerned, get medical advice.
Storage	P403+P235 Store in a well-ventilated place. Keep cool. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
2-(Butoxymethyl)oxirane	Butyl 2,3-epoxypropyl ether	2426-08-6	219-376-4	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth.

4.2 Most important symptoms/effects, acute and delayed

Exposure can cause mild irritation of skin, eyes, nose, and respiratory tract. Chronic exposure may cause inflammation and sensitization of the skin. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

When 14C-BGE was administered orally to male rats and rabbits (20 mg/kg), it was rapidly absorbed and metabolized. Most of the compound, 87% in the rat and 78% in the rabbit, was eliminated in the 0- to 24-hr urine.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

In case of fire: keep drums, etc., cool by spraying with water.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: May form explosive peroxides upon contact with air. Toxic fumes such as carbon monoxide may be produced. Behavior in Fire: May polymerize, generating heat and causing the container to burst. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use water spray, foam, powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Collect leaking and spilled liquid in sealable containers as far as possible. Wash away remainder with plenty of water.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 54°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants, strong bases, strong acids and amines. Cool. Keep in the dark. Fireproof. Separated from strong oxidants, strong bases, strong acids. Cool. Keep in the dark.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: 3 ppm as TWA; (skin); (SEN). MAK: skin absorption (H); sensitization of skin (SH); carcinogen category: 3B; germ cell mutagen group: 2

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	N-butyl glycidyl ether is a colorless to pale yellow liquid with a strong, slightly unpleasant odor. Flash point approximately 164°F. Denser than water. Vapors are heavier than air. Vapors may irritate the nose, throat and respiratory tract. Ingestion or inhalation may cause central nervous system depression. Liquid contact may severely irritate the eyes and skin. Prolonged contact with the skin may cause defatting and drying.
Colour	Clear, colorless liquid
Odour	Irritating odor
Melting point/freezing point	105°C(lit.)
Boiling point or initial boiling point and boiling range	145°C
Flammability	Class II Combustible Liquid: Fl.P. at or above 100°F and below 140°F.
Lower and upper explosion limit/flammability limit	no data available
Flash point	59°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	10 to 50 mg/mL at 72° F (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 0.63
Vapour pressure	1.43mmHg at 25°C
Density and/or relative density	0.912
Relative vapour density	3.78 at 25 deg C (Air = 1)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The substance can presumably form explosive peroxides. Reacts with acids, amines, bases and strong oxidants.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Flammable N-BUTYL GLYCIDYL ETHER, an ether, can act as a base. They form salts with strong acids and addition complexes with Lewis acids. The complex between diethyl ether and boron trifluoride is an example. Ethers may react violently with strong oxidizing agents. In other reactions, which typically involve the breaking of the carbon-oxygen bond, ethers are relatively inert.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizers, strong caustics.

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 2.05 g/kg
- Inhalation: LC50 Mouse inhalation > 3500 ppm/4 hr
- Dermal: LD50 Rabbit percutaneous 4.93 g/kg

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract.

STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization. May cause heritable genetic damage to human germ cells.

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated for n-butyl glycidyl ether(SRC), using a log Kow of 0.63(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

The Koc of n-butyl glycidyl ether is estimated as 52(SRC), using a log Kow of 0.63(1) and a regression-derived equation(2). According to a classification scheme(2), this estimated Koc value suggests that n-butyl glycidyl ether is expected to have high mobility in soil(SRC).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN3271 (For reference only, please check.) IMDG: UN3271 (For reference only, please check.) IATA: UN3271 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: ETHERS, N.O.S. (For reference only, please check.) IMDG: ETHERS, N.O.S. (For reference only, please check.) IATA: ETHERS, N.O.S. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.) IMDG: 3 (For reference only, please check.) IATA: 3 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.) IMDG: II (For reference only, please check.) IATA: II (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Butyl 2,3-epoxypropyl ether	Butyl 2,3-epoxypropyl ether	2426-08-6	219-376-4
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date April 16, 2024

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Other Information

Explosive limits are unknown in literature, although the substance is combustible and has a flash point < 61°C. Check for peroxides prior to distillation; eliminate if found.

Any questions regarding this SDS, Please send your inquiry to info@cato-chem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.