

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.2
Creation Date: July 15, 2019
Revision Date: August 08, 2025

SECTION 1: Identification

1.1 GHS Product identifier

Product name Diundecyl Phthalate

1.2 Other means of identification

Product number CPAE111724

Other names Jayflex L11P-E plasticizer; Diundecyl phthalate; diundecyl benzene-1,2-dicarboxylate

1.3 Recommended use of the chemical and restrictions on use

Identified uses For laboratory and Industrial use only.

Uses advised against no data available

1.4 Supplier's details

Company CATO Research Chemicals Inc.

Address 3/F,Building B,No.179 BASIGO, Guangpu Rd East,Huangpu Dist,Guangzhou

Telephone +86-20-81960175

1.5 Emergency phone number

Emergency phone number +86-20-81960175

Service hours 'Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Not classified.

2.2 GHS label elements, including precautionary statements

Pictogram(s) No symbol.

Signal word No signal word

Hazard statement(s) none

Precautionary statement(s)

Prevention none

Response none

Storage none

Disposal none

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Diundecyl Phthalate	Diundecyl phthalate	3648-20-2	222-884-9	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

Produces no ill effects at normal temperatures but may give off irritating vapor at high temperature. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

no data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Fire Extinguishing Agents Not to Be Used: Water or foam may cause frothing Fire Extinguishing Agents: Dry chemical, CO₂, or foam (USCG, 1999)

5.2 Specific hazards arising from the chemical

This chemical is probably combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Diundecyl phthalate is an oily colorless odorless liquid. Less dense than water. (USCG, 1999)
Colour	Crystals from ethanol
Odour	no data available
Melting point/freezing point	35.5 deg C
Boiling point or initial boiling point and boiling range	472.6°C at 760 mmHg
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	254.1°C
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	70 mPa s at 20 deg C
Solubility	Insoluble (<1 mg/ml at 70° F) (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 11.49 (est)
Vapour pressure	1.22X10 ⁻⁹ mm Hg at 25 deg C (est)
Density and/or relative density	0.958g/cm ³
Relative vapour density	no data available
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

DIUNDECYL PHTHALATE reacts with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by interaction with caustic solutions. Flammable hydrogen is generated by mixing with alkali metals and hydrides. Can generate electrostatic charges [Handling Chemicals Safely, 1980. p. 250].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomp it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral >15 g/kg
- Inhalation: LC50 Rat inhalation >1.8 mg/L/6hr
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: *Lepomis macrochirus* (Bluegill, juvenile, length 29-40 mm); Conditions: freshwater, static, 22 deg C, pH 7.6-7.9, hardness 25-50 mg/L CaCO₃, alkalinity 25-50 mg/L CaCO₃; Concentration: >730 ug/L for 96 hr /> or = 95% purity
- Toxicity to daphnia and other aquatic invertebrates: EC50 *Daphnia magna* (water flea, < 24 hours old) > 0.02 mg/L/48 hr; Conditions: static, 20 deg C, pH 8.2 to 8.3, dissolved oxygen 8.3 to 8.9 mg/L, total hardness as CaCO₃ 150 to 170 mg/L; Effect: immobility.
- Toxicity to algae: EC50; Species: *Pseudokirchneriella subcapitata* (Green algae); Conditions: freshwater, static, 22-24 deg C, pH 7.6-7.9, hardness 25-50 mg/L CaCO₃, alkalinity 25-50 mg/L CaCO₃; Concentration: >2100 ug/L for 96 hr; Effect: decreased population abundance /> or = 95% purity
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In an acclimated shake flask CO₂ evolution test, in which loss of parent compound (primary degradation) as well as CO₂ evolution (ultimate degradation) was measured using an inoculum prepared from soil and sewage, >99% of diundecyl phthalate was lost and 76% of theoretical CO₂ was evolved after 28 days(1). The biodegradation half-life was 6.17 days with a 2.7 day lag(1). Results of a semi-continuous activated sludge test, a test which simulates that of a treatment plant, were 45 and 29% removal of the diundecyl phthalate at 5 and 20 mg/day feed rates(2-3). At the lower feed rate the half-life was 2.7 days(2). Since the ester exhibited no inhibitory effects on the sludge growth rate, the decreased degradation at higher concentration levels is attributed to its low water solubility(2). Diundecyl phthalate at a concentration of 1 ppm had a half-life of 2.5 weeks in a river die-away test using Mississippi River water(2). Di(heptyl,nonyl,undecyl) phthalate had a half-life of 6 to 8 days in river die-away tests(4). In active microcosms containing lake water and sediment, 40 to 48% of (14)C-di(heptyl,nonyl,undecyl) phthalate radioactivity was evolved as carbon dioxide over a 41 day period; after six weeks no residual (14)C-di(heptyl,nonyl,undecyl) phthalate was found in the water column and only 2 to 6% was associated with sediments(4). In semi-continuous activated sludge tests, a primary degradation half-life of <1 day at an addition rate of 5 to 200 mg/L per 24-hour cycle was observed for di(heptyl,nonyl,undecyl) phthalate(4). In shake flask studies using an acclimated bacterial inoculum, an ultimate biodegradation half-life of 5 days was observed for di(heptyl,nonyl,undecyl) phthalate at an initial concentration of 20 mg/L(4). Diundecyl phthalate was biodegraded 10% in 7 days in river water(5). Diundecyl phthalate was biodegraded 57% from an initial concentration of 46 ppm using a semi-continuous activated sludge for 28 days(6).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for diundecyl phthalate(SRC), using an estimated log Kow of 11.49(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of diundecyl phthalate can be estimated to be 7.7X10⁶(SRC). According to a classification scheme(2), this estimated Koc value suggests that diundecyl phthalate is expected to be immobile in soil.

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Diundecyl phthalate	Diundecyl phthalate	3648-20-2	222-884-9
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date

July 15, 2019

Revision Date

August 08, 2025

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>



CATO Research Chemicals Inc.

3/F, Building B, No. 179 BASIGO, Guangpu Rd East, Huangpu Dist, Guangzhou

Web: www.cato-chem.com

Tel: +86-20-81960175 Fax: +86-20-81717260 E-mail: info@cato-chem.com

-
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
 - Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
 - ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to info@cato-chem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.