

# Certificate of Analysis


## Reference Material & Standard

|                    |                                                              |                   |                                           |
|--------------------|--------------------------------------------------------------|-------------------|-------------------------------------------|
| Product Name:      | 6-Butyldihydropyrimidine-2,4(1H,3H)-dione                    | Catalogue Number: | C1008994                                  |
| Synonyms:          | N/A                                                          | Lot Number:       | 1118-SA-7536                              |
| CAS Number:        | 101012-09-3                                                  | Expiry Date:      | Nov 17, 28                                |
| Molecular Formula: | C <sub>8</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> | Storage:          | 2°C ~ 8°C Protected from light and Sealed |
| Molecular Weight:  | 170.21                                                       |                   |                                           |

Warning:



Chemical Structure:



Test Items

Appearance

Identification:

Purity:

Method

Visual inspection

LC&HNMR

HPLC

Results

Solid

Confirmed

97.225%

Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Nov 18, 24

Date: Nov 18, 24

Date: Nov 18, 24



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



Official WeChat

## Directions:

- 1. Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
- 2. Minimum sample size: 1mg is recommended as the minimum sample size.*
- 3. Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
- 4. Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Nov 18, 24 | First release.      |

