

# Certificate of Analysis


## Reference Material & Standard

|                           |                                                    |                          |                                           |
|---------------------------|----------------------------------------------------|--------------------------|-------------------------------------------|
| <b>Product Name:</b>      | 2-Chloro-N-(2,4-dichlorobenzyl)-N-ethylacetamide   | <b>Catalogue Number:</b> | C1244688                                  |
| <b>Synonyms:</b>          | N/A                                                | <b>Lot Number:</b>       | 0118-SA-7793                              |
| <b>CAS Number:</b>        | 1353975-48-0                                       | <b>Expiry Date:</b>      | Jan 17, 30                                |
| <b>Molecular Formula:</b> | C <sub>11</sub> H <sub>12</sub> Cl <sub>3</sub> NO | <b>Storage:</b>          | 2°C ~ 8°C Protected from light and Sealed |
| <b>Molecular Weight:</b>  | 280.58                                             |                          |                                           |

Warning:



Chemical Structure:



| Test Items      | Method            | Results   |
|-----------------|-------------------|-----------|
| Appearance      | Visual inspection | Solid     |
| Identification: | LC&HNMR           | Confirmed |
| Purity:         | HPLC              | 97.131%   |

Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Jan 18, 26

Date: Jan 18, 26

Date: Jan 18, 26



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



## Directions:

1. *Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
2. *Minimum sample size: 1mg is recommended as the minimum sample size.*
3. *Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
4. *Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Jan 18, 26 | First release.      |

