

# Certificate of Analysis


## Reference Material & Standard

|                    |                                                |                   |                                           |
|--------------------|------------------------------------------------|-------------------|-------------------------------------------|
| Product Name:      | Orlistat Impurity 26                           | Catalogue Number: | C1886637                                  |
| Synonyms:          | N/A                                            | Lot Number:       | 1211-SA-7732                              |
| CAS Number:        | 76835-67-1                                     | Expiry Date:      | Dec 10, 29                                |
| Molecular Formula: | C <sub>15</sub> H <sub>30</sub> O <sub>3</sub> | Storage:          | 2°C ~ 8°C Protected from light and Sealed |
| Molecular Weight:  | 258.40                                         |                   |                                           |

Warning:



Chemical Structure:



### Test Items

Appearance

Identification:

Purity:

### Method

Visual inspection

LC&HNMR

HPLC

### Results

Solid

Confirmed

96.840%

CATO Research Chemicals Inc.

Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Dec 11, 25

Date: Dec 11, 25

Date: Dec 11, 25



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



## Directions:

1. *Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
2. *Minimum sample size: 1mg is recommended as the minimum sample size.*
3. *Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
4. *Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Dec 11, 25 | First release.      |

