

# Certificate of Analysis

## Reference Material & Standard

|                    |                     |                   |                                           |
|--------------------|---------------------|-------------------|-------------------------------------------|
| Product Name:      | 1,1-Dichloroacetone | Catalogue Number: | C200213                                   |
| Synonyms:          | N/A                 | Lot Number:       | 1126-SA-7247                              |
| CAS Number:        | 513-88-2            | Expiry Date:      | Nov 25, 29                                |
| Molecular Formula: | N/A                 | Storage:          | 2°C ~ 8°C Protected from light and Sealed |
| Molecular Weight:  | N/A                 |                   |                                           |

Warning:



Chemical Structure: N/A

| Test Items      | Method            | Results   |
|-----------------|-------------------|-----------|
| Appearance      | Visual inspection | Solid     |
| Identification: | LC&HNMR           | Confirmed |
| Purity:         | HPLC              | 97.452%   |
| Uncertainty     |                   | ±2.0%     |

## Comment:

The uncertainty values are the expanded uncertainty and represent an estimated standard deviation equal to the positive square root of the total variation of the uncertainty of components. A normal distribution is assumed and a coverage factor of K=2 is chosen using approximately a 95% confidence level.

Signature:

Prepared by:

Lisa

Reviewed by:

Yuki

Approved by General Manager:

David

Date: Nov 26, 25

Date: Nov 26, 25

Date: Nov 26, 25



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



## Directions:

1. *Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
2. *Minimum sample size: 1mg is recommended as the minimum sample size.*
3. *Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
4. *Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Nov 26, 25 | First release.      |

