


# Certificate of Analysis

## Reference Material & Standard

|                           |                                                                 |                          |                                             |
|---------------------------|-----------------------------------------------------------------|--------------------------|---------------------------------------------|
| <b>Product Name:</b>      | Open-ring Desulfated Aztreonam Ethyl Ester 2                    | <b>Catalogue Number:</b> | C4X-152237                                  |
| <b>Synonyms:</b>          | N/A                                                             | <b>Lot Number:</b>       | 1219-SA-7003                                |
| <b>CAS Number:</b>        | N/A                                                             | <b>Expiry Date:</b>      | Dec 18, 28                                  |
| <b>Molecular Formula:</b> | C <sub>15</sub> H <sub>23</sub> N <sub>5</sub> O <sub>6</sub> S | <b>Storage:</b>          | -20°C ± 5°C Protected from light and Sealed |
| <b>Molecular Weight:</b>  | 401.44                                                          |                          |                                             |

Chemical Structure:



### Test Items

Appearance

Identification:

Purity:

### Method

Visual inspection

LC&HNMR

HPLC

### Results

Solid

Confirmed

97.353%

Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Dec 19, 24

Date: Dec 19, 24

Date: Dec 19, 24



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



Official WeChat

## Directions:

- 1. Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
- 2. Minimum sample size: 1mg is recommended as the minimum sample size.*
- 3. Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
- 4. Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Dec 19, 24 | First release.      |

