

# Certificate of Analysis

## Reference Material & Standard


|                    |                                 |                   |                                           |
|--------------------|---------------------------------|-------------------|-------------------------------------------|
| Product Name:      | Cetirizine Impurity 27          | Catalogue Number: | C4X-158227                                |
| Synonyms:          | N/A                             | Lot Number:       | 0814-SA-7782                              |
| CAS Number:        | N/A                             | Expiry Date:      | Aug 13, 28                                |
| Molecular Formula: | $C_{19}H_{23}ClN_2O \cdot 2HCl$ | Storage:          | 2°C ~ 8°C Protected from light and Sealed |
| Molecular Weight:  | 330.85 $\times$ 36.46           |                   |                                           |

Warning:



HCl

Chemical Structure:



| Test Items      | Method            | Results   |
|-----------------|-------------------|-----------|
| Appearance      | Visual inspection | Solid     |
| Identification: | LC&HNMR           | Confirmed |
| Purity:         | HPLC              | 96.743%   |

Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Aug 14, 24

Date: Aug 14, 24

Date: Aug 14, 24



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



Official WeChat

## Directions:

1. *Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
2. *Minimum sample size: 1mg is recommended as the minimum sample size.*
3. *Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
4. *Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Aug 14, 24 | First release.      |

