


# Certificate of Analysis

## Reference Material & Standard

|                           |                                          |                          |                                           |
|---------------------------|------------------------------------------|--------------------------|-------------------------------------------|
| <b>Product Name:</b>      | D-Tyr-Pasireotide                        | <b>Catalogue Number:</b> | C4X-20086                                 |
| <b>Synonyms:</b>          | N/A                                      | <b>Lot Number:</b>       | 1018-SA-7915                              |
| <b>CAS Number:</b>        | N/A                                      | <b>Expiry Date:</b>      | Oct 17, 25                                |
| <b>Molecular Formula:</b> | $C_{58}H_{66}N_{10}O_9 \cdot C_2HF_3O_2$ | <b>Storage:</b>          | -20°C±5°C Protected from light and Sealed |
| <b>Molecular Weight:</b>  | 1047.21 114.02                           |                          |                                           |

## Chemical Structure:



| Test Items      | Method            | Results   |
|-----------------|-------------------|-----------|
| Appearance      | Visual inspection | Solid     |
| Identification: | LC&HNMR           | Confirmed |
| Purity:         | HPLC              | 97.822%   |

## Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Oct 18, 25

Date: Oct 18, 25

Date: Oct 18, 25



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: [supports@cato-chem.com](mailto:supports@cato-chem.com)

Web: <https://www.cato-chem.com>

Page 1 of 6



Official WeChat

## Directions:

- 1. Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
- 2. Minimum sample size: 1mg is recommended as the minimum sample size.*
- 3. Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
- 4. Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Oct 18, 25 | First release.      |

