

# Certificate of Analysis


## Reference Material & Standard

|                    |                                                 |                   |                                           |
|--------------------|-------------------------------------------------|-------------------|-------------------------------------------|
| Product Name:      | Z-Gly-ol                                        | Catalogue Number: | CPTD788279                                |
| Synonyms:          | N/A                                             | Lot Number:       | 0301-SA-7000                              |
| CAS Number:        | 77987-49-6                                      | Expiry Date:      | Feb 29, 28                                |
| Molecular Formula: | C <sub>10</sub> H <sub>13</sub> NO <sub>3</sub> | Storage:          | 2°C ~ 8°C Protected from light and Sealed |
| Molecular Weight:  | 195.21                                          |                   |                                           |

Warning:



Chemical Structure:



| Test Items      | Method            | Results     |
|-----------------|-------------------|-------------|
| Appearance      | Visual inspection | White Solid |
| Identification: | LC&HNMR           | Confirmed   |
| Purity:         | HPLC              | 96.915%     |

Signature:

Prepared by:

*Lisa*

Reviewed by:

*Yuki*

Approved by General Manager:

*David*

Date: Mar 01, 24

Date: Mar 01, 24

Date: Mar 01, 24



Add: 3rd Floor, Building B, No.179, Guangpu Rd East, Huangpu District, Guangzhou, China

Tel: +86-20-81960175

Email: supports@cato-chem.com

Web: <https://www.cato-chem.com>

Page 1 of 6



## Directions:

- 1. Intended use: This product is suitable for identification and quantification of the analyte(s), instrument calibration, method development and quality control in analytical and R&D applications. It is not intended for administration to humans or animals, and shall not be used to diagnose, treat or cure any diseases.*
- 2. Minimum sample size: 1mg is recommended as the minimum sample size.*
- 3. Metrological traceability: This product meets the requirements of ISO 17034 and is traceable to NMI through an unbroken chain of comparisons.*
- 4. Instructions for handling and correct use: Handling in a well-ventilated place.*

## Document Version:

| Revision No. | Date       | Reason for Revision |
|--------------|------------|---------------------|
| 01           | Mar 01, 24 | First release.      |

